


BANKERS TREASURY



THE ULTIMATE IN PHYSICAL SECURITY

THE
ART
OF
SAFE
MAKING

he Chubb Bankers Treasury is a high security safe providing the high degree of burglar protection that today's Banks, Jewellers, Building Societies, and other organisations holding large amounts of cash and valuables demand. The Bankers Treasury was carefully researched and developed with the design emphasis placed on the severity and Increasing number of sophisticated tools and attack techniques available to today's criminal. Manufactured using the revolutionary Chubb torch and drill resisting barrler material, the Chubb Bankers Treasury provides excellent resistance to all known practical forms of attack including disc cutters, drills, percussion tools, oxy-acetylene, oxy-arc and explosives.






CHUBB BANKERS TREASURY

CONSTRUCTION

The body consists of inner and outer steel plates enclosing a seamless casting of Chubb Anti-Arc barrier material which coupled with outer body and body lining steel gives a barrier thickness of 68mm. The door has a total thickness of 190mm and consists of inner and outer steel plates enclosing Chubb Anti-Arc material which contains a high concentration of very hard abrasion resistant material providing excellent protection against all forms of mechanical and oxygen cutting tools.

BOLTWORK

The door is secured by 38mm diameter moving bolts which extend from all four sides of the door. When the safe is in the locked position, the unique Chubb isolator completely disconnects the bolt throwing handle from the mechanism. The Bankers Treasury is fitted with glass and other relockers ensuring the bolts remain extended under attack.



LOCKING

The Bankers Treasury is fitted as standard with two high security Chubb locks. Each lock can either be a high security eight lever lock with detachable key bit or a high security four wheel combination lock capable of 100,000,000 differing combinations, which can be fitted with a sight screen and dial check lock.

FITTINGS

Racking accepts the following optional fittings:

HEAVY DUTY SHELVES

LOCKABLE CUPBOARDS

LOCKABLE DRAWERS

DEPOSIT FACILITIES

BASEFIXING

The Bankers Treasury can be prepared for secure base fixing.

FINISH

Attractive light grey spatter finish to suit any environment.

The handle, trimplate and keyhole are finished in a warm brown.



DIMENSIONS								
MODEL	2215	3420	4620	5520	6428/17	6428/21		
Number of bolts around door	10	10	12	14	16	16		
External height	788mm (31.0°)	1092mm (43.0°)	1397mm (55.0°)	1626mm (64.0°)	1855mm (73.0°)	1855mm (7 3 0")		
External width	623mm (24.55)	750mm (29.5°)	750mm (29.5*)	750mm (29.5°)	953mm (37.5°)	953mm (37.5°)		
External depth	674mm (26.5°)	775mm (30.5°)	775mm (30.5°)	775mm (30.5°)	724mm (28.5*)	826mm (32.5°)		
External projection of handle	64mm (2.57)	64mm (2.5°)	64mm (2.5°)	64mm (2.5°)	64mm (2.5°)	64mm (2.5°)		
Total external depth with door open at 90°	1220mm (4 B.1")	1450mm (57.1°)	1450mm (57.1°)	1450mm (57.1°)	1600mm (63.0°)	1700mm (67.0°)		
Internal height	562mm (22.1°)	867mm (34.1°)	1172mm (46.1°)	1400mm (55.1°)	1628mm (64.1°)	1628mm (64.1*)		
Internal width	381mm (15.0°)	508mm (20 0°)	508mm (20 0°)	508mm (20 0°)	711mm (28.0°)	711mm (28 0°)		
Internal depth	381mm (15.0°)	462mm (19.0°)	482 (19.0°)	482mm (19.0°)	430mm (17.0°)	530mm (21.0°)		
Internal volume	81 ltrs (2.9ft ³)	212 ltrs (7.5ft ³)	287 ltrs (10.1ft ³)	343 Krs (12.1h ³)	498 ltrs (17.6h³)	613 ltrs (21.6ft ³)		
Nett Weight (approx.)	810kg (16cwt)	1310kg (26cm)	1590kg (31.3cwt)	1810kg (35.6cwt)	2350kg (46.3cwt)	2434kg (48cml)		

CHOICE OF FITTINGS						
Shelves	avallable	available	avallable	available	available	available
Lockable cupboards (height)	not zvallable	305mm (12")	305mm (12°)	305mm (12*)	305mm (12") or 584mm (23")	305mm (12") or 584mm (23")
Full width drawer (height)	111mm (4.4°)	165mm (6,5°)	165mm (6.5°)	165mm (6.5°)	not evailable	not available
Pair of drawers side by side (height)	not evailable	165mm (6 5")	165mm (6,5°)	165mm (6.5°)	165mm (6.5°)	165mm (6.5*)

LOCKING

The Bankers Treasury can be fitted with single or dual locks. Either or both of these can be a keylock or a combination lock.

KEYLOCK This is a high security 8 lever lock. The bit of the lock is	COMBINATION LOCK	This is a high security 4 wheel lock capable of being set to 100,000,000 different combinations. It can be fitted with a sight screen and a dial check lock.
detachable from the shaft for convenient safe keeping,	TIMELOCK	A timelock can also be fitted to the sizes 3420 and over.

EXPORT PACKAGING							
Case height	990mm (40 0°)	1290000 (51 0")	1600mm (63.0°)	1850mm (73.0°)	1040mm (41.0°)	1160mm (46.0°)	
Case width	' 760mm (30 0°)	890mm (35.0°)	890mm (350°)	920mm (360°)	2010mm (79.0°)	2010mm (79. 0°)	
Casa depth	860mm (34 0°)	990mm (39 0")	880mm (390°)	1000mm (40.0°)	1120mm (44.0°)	1120mm (44.0°)	
Gross weight packed (approx.)	865kg (1907lb)	1400kg (3088ib)	1710kg (3770lb)	1950kg (4290ib)	2553kg (5609b)	650kg (5830lb)	

